

WHAT IS CLAIMED IS:

1 1. A container that supplies a source of fuel to a direct methanol fuel cell, the
2 container comprising:
3 a housing, the housing having at least a portion of a wall of the housing being
4 comprised of a thermally conductive material;
5 a fuel egress port supported by the housing; and
6 a surface area enhanced planar vaporization membrane residing in the container.

1 2. The container of claim 1 wherein the surface area enhanced planar
2 vaporization membrane is a polymer membrane.

1 3. The container of claim 1 wherein the at least a portion of a wall of the housing
2 being comprised of a thermally conductive material is comprised of a metal.

1 4. The container of claim 1 wherein remaining portions of walls of the container
2 are thermally insulating.

1 5. The container of claim 1 wherein the at least a portion of a wall of the housing
2 being comprised of a thermally conductive material is a portion of the housing of the
3 container disposed adjacent the fuel egress port of the container.

1 6. The container of claim 1 wherein the container is a fuel cartridge.

1 7. The container of claim 1 wherein the cartridge contains a liquid source of
2 hydrogen.

1 8. The fuel cartridge of claim 1 wherein the liquid source of hydrogen is
2 methanol.

1 9. The fuel cartridge of claim 1 wherein container is a fuel reservoir.

1 10. The fuel cartridge of claim 1 wherein at least a portion of a wall of the
2 housing being comprised of a thermally conductive material enhances a delivery rate of
3 methanol in a vapor phase across the membrane to deliver vapor at the egress port of the
4 container.

1 11. A fuel cartridge that supplies a source of fuel to a direct methanol fuel cell, the
2 fuel cartridge comprising:

3 a housing, the housing containing a liquid source of hydrogen and having at least a
4 portion of a wall of the housing being comprised of a thermally conductive material;
5 a fuel egress port supported by the housing.

1 12. The fuel cartridge of claim 11 wherein the liquid is methanol.

1 13. The fuel cartridge of claim 11 wherein remaining portions of walls of the
2 cartridge are thermally insulating.

1 14. The fuel cartridge of claim 11 wherein the at least a portion of a wall of the
2 housing being comprised of a thermally conductive material is a portion of the housing of the
3 container disposed adjacent the fuel egress port of the cartridge.

1 15. The fuel cartridge of claim 11 wherein the at least a portion of a wall of the
2 housing being comprised of a thermally conductive material is comprised of a metal.

1 16. A method comprises:
2 disposing a fuel cartridge into a compartment of an electronic device such that a
3 portion of a wall of a housing of the fuel cartridge that is comprised of a thermally
4 conductive material is placed in thermal communication with a heat generating component in
5 the electronic device to enable a vapor phase of the fuel in the housing to egress from the
6 cartridge.

1 17. The method of claim 16 wherein fuel cartridge contains a source of an
2 oxidizable fuel.

1